

North East Fabricare Association Dry Cleaner Compliance Calendar

2013



North East Fabricare Association

P.O. Box 920, Pelham NH 03076

Tel: (603) 635-0322 E-mail: petebike@aol.com

www.nefabricare.com

January

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased Jan-2010	-
Subtotal	
Purchase Date	Purchase Amount
	+
	+
	+
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

<u>Inspected</u>	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
	Y	N	Labeled? Y N	Dated? Y N	

January 2013

January 2013
 S M T W T F S
 6 7 8 9 10 11 12
 13 14 15 16 17 18 19
 20 21 22 23 24 25 26
 27 28 29 30 31

February 2013
 S M T W T F S
 3 4 5 6 7 8 9
 10 11 12 13 14 15 16
 17 18 19 20 21 22 23
 24 25 26 27 28

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
	January 1, 2013	2	3	4	5
7	8	9	10	11	12
				8:00am Leak Check 3:00pm Temp Check	
14	15	16	17	18	19
				8:00am Leak Check 3:00pm Temp Check	
21	22	23	24	25	26
				8:00am Leak Check 3:00pm Temp Check	
28	29	30	31		27

February

Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased Feb-2010	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y N	Y N			
Hoses	Y N	Y N			
Door	Y N	Y N			
Pump	Y N	Y N			
Solvent Tank	Y N	Y N			
Water Separator	Y N	Y N			
Muck Cooker	Y N	Y N			
Still	Y N	Y N			
Exhaust Damper	Y N	Y N			
Diverter Valve	Y N	Y N			
Filter Gasket	Y N	Y N			
Cartridge Filter	Y N	Y N			
Waste Containers	Y N	Y N	Labeled? Y N	Dated? Y N	

February 2013

February 2013

March 2013

S	M	T	W	T	F	S	S	M	T	W	T	F	S
3	4	5	6	7	8	9	3	4	5	6	7	8	9
10	11	12	13	14	15	16	10	11	12	13	14	15	16
17	18	19	20	21	22	23	17	18	19	20	21	22	23
24	25	26	27	28			24	25	26	27	28	29	30
							31						

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
				February 1 8:00am Leak Check 3:00pm Temp Check	2
4					3
			6	7	
		5		8:00am Leak Check 3:00pm Temp Check	9
					10
11		12	13	14	15
				8:00am Leak Check 3:00pm Temp Check	16
					17
18		19	20	21	22
				8:00am Leak Check 3:00pm Temp Check	23
					24
25		26	27	28	

March 2013

March 2013

S	M	T	W	T	F	S
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

April 2013

S	M	T	W	T	F	S
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
				8:00am Leak Check 3:00pm Temp Check	2
					3
4			6	7	8
				8:00am Leak Check 3:00pm Temp Check	9
					10
11			13	14	15
				8:00am Leak Check 3:00pm Temp Check	16
					17
18			20	21	22
				8:00am Leak Check 3:00pm Temp Check	23
					24
25			27	28	29
				8:00am Leak Check 3:00pm Temp Check	30
					31

April

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased April-2010	-
Subtotal	
Purchase Date	Purchase Amount
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
			Labeled? Y N	Dated? Y N	

April 2013

April 2013

S	M	T	W	T	F	S
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

May 2013

S	M	T	W	T	F	S
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
April 1	2	3	4	5	6
				8:00am Leak Check 3:00pm Temp Check	
8	9	10	11	12	13
				8:00am Leak Check 3:00pm Temp Check	
15	16	17	18	19	20
				8:00am Leak Check 3:00pm Temp Check	
22	23	24	25	26	27
				8:00am Leak Check 3:00pm Temp Check	
29	30				28

May

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased May-2010	-
Subtotal	
Purchase Date	Purchase Amount
	+
	+
	+
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
	Y	N	Labeled? Y N	Dated? Y N	

May 2013

May 2013

S	M	T	W	T	F	S
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

June 2013

S	M	T	W	T	F	S
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
		May 1	2	3	4
				8:00am Leak Check 3:00pm Temp Check	
6	7	8	9	10	11
				8:00am Leak Check 3:00pm Temp Check	
13	14	15	16	17	18
				8:00am Leak Check 3:00pm Temp Check	
20	21	22	23	24	25
				8:00am Leak Check 3:00pm Temp Check	
27	28	29	30	31	
				8:00am Leak Check 3:00pm Temp Check	

June

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased June-2010	-
Subtotal	
Purchase Date	Purchase Amount
	+
	+
	+
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			

June 2013

June 2013

July 2013

S	M	T	W	T	F	S	S	M	T	W	T	F	S
2	3	4	5	6	7	8	7	8	9	10	11	12	13
9	10	11	12	13	14	15	14	15	16	17	18	19	20
16	17	18	19	20	21	22	21	22	23	24	25	26	27
23	24	25	26	27	28	29	28	29	30	31			
30													

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
					June 1
					2
3			4	5	6
				8:00am Leak Check 3:00pm Temp Check	7
					8
					9
					10
10			11	12	13
				8:00am Leak Check 3:00pm Temp Check	14
					15
					16
					17
17			18	19	20
				8:00am Leak Check 3:00pm Temp Check	21
					22
					23
					24
24			25	26	27
				8:00am Leak Check 3:00pm Temp Check	28
					29
					30

July

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased July-2010	-
Subtotal	
Purchase Date	Purchase Amount
	+
July	+
	+
	12 Month Running Total

Notes	

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
	Y	N	Labeled? Y N	Date Dated? Y N	

July 2013

July 2013
 S M T W T F S
 1 2 3 4 5 6
 7 8 9 10 11 12 13
 14 15 16 17 18 19 20
 21 22 23 24 25 26 27
 28 29 30 31

August 2013
 S M T W T F S
 4 5 6 7 8 9 10
 11 12 13 14 15 16 17
 18 19 20 21 22 23 24
 25 26 27 28 29 30 31

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
July 1 8:00am MA TURA FILING DUE	2	3	4	5 8:00am Leak Check 3:00pm Temp Check	6
8	9	10	11	12 8:00am Leak Check 3:00pm Temp Check	13
15	16	17	18	19 8:00am Leak Check 3:00pm Temp Check	20
22	23	24	25	26 8:00am Leak Check 3:00pm Temp Check	27
29	30	31			28

August

Perc Purchases Running Total

Total from Last Month		
Subtract Perc Purchased Aug-2010	-	
Subtotal		
Purchase Date	Purchase Amount	12 Month Running Total
	+	
A	+	
	+	

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

<u>Inspected</u>	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
	Y	N	Labeled? Y N	Dated? Y N	

August 2013

August 2013

S	M	T	W	T	F	S
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

September 2013

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
			August 1		2
				8:00am Leak Check 3:00pm Temp Check	
					4
5		6	7	8	9
				8:00am Leak Check 3:00pm Temp Check	
					10
					11
					17
12		13	14	15	16
				8:00am Leak Check 3:00pm Temp Check	
					18
					24
19		20	21	22	23
				8:00am Leak Check 3:00pm Temp Check	
					25
					31
26		27	28	29	30
				8:00am Leak Check 3:00pm Temp Check	

October

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased Oct-2010	-
Subtotal	
Purchase Date	Purchase Amount
	+
	+
	+
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
	Y	N	Labeled? Y N		Dated? Y N

October 2013

October 2013

S	M	T	W	T	F	S
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

November 2013

S	M	T	W	T	F	S
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
	October 1	2	3	4	5
7	8	9	10	11	12
				8:00am Leak Check 3:00pm Temp Check	
14	15	16	17	18	19
				8:00am Leak Check 3:00pm Temp Check	
21	22	23	24	25	26
				8:00am Leak Check 3:00pm Temp Check	
28	29	30	31		27

November

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased Nov-2010	-
Subtotal	
Purchase Date	Purchase Amount
	+
	+
	+
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N		Y	N
Door	Y	N		Y	N
Pump	Y	N		Y	N
Solvent Tank	Y	N		Y	N
Water Separator	Y	N		Y	N
Muck Cooker	Y	N		Y	N
Still	Y	N		Y	N
Exhaust Damper	Y	N		Y	N
Diverter Valve	Y	N		Y	N
Filter Gasket	Y	N		Y	N
Cartridge Filter	Y	N		Y	N
Waste Containers	Y	N		Y	N
			Labeled? Y N		Dated? Y N

November 2013

November 2013

S	M	T	W	T	F	S
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

December 2013

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
				November 1 8:00am Leak Check 3:00pm Temp Check	2
					3
4	5	6	7	8:00am Leak Check 3:00pm Temp Check	9
					10
11	12	13	14	8:00am Leak Check 3:00pm Temp Check	16
					17
18	19	20	21	8:00am Leak Check 3:00pm Temp Check	23
					24
25	26	27	28	8:00am Leak Check 3:00pm Temp Check	30

December

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased Dec-2010	-
Subtotal	
Purchase Date	Purchase Amount
	+
	+
	+
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			

Labeled? Y N Dated? Y N

December 2013

December 2013

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

January 2014

S	M	T	W	T	F	S
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
					December 1
2	3	4	5	6	7
				8:00am Leak Check 3:00pm Temp Check	
9	10	11	12	13	14
				8:00am Leak Check 3:00pm Temp Check	
16	17	18	19	20	21
				8:00am Leak Check 3:00pm Temp Check	
23	24	25	26	27	28
				8:00am Leak Check 3:00pm Temp Check	
30	31				29

January

Perc Purchases Running Total

Total from Last Month	
Subtract Perc Purchased Jan-2011	-
Subtotal	
Purchase Date	Purchase Amount
	+
	+
	+
	12 Month Running Total

Notes

Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y
		N
		Y
		N
		Y
		N
		Y
		N

Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			

Labeled? Y N

Dated? Y N

January 2014

January 2014
 S M T W T F S
 5 6 7 8 9 10 11
 12 13 14 15 16 17 18
 19 20 21 22 23 24 25
 26 27 28 29 30 31

February 2014
 S M T W T F S
 2 3 4 5 6 7 8
 9 10 11 12 13 14 15
 16 17 18 19 20 21 22
 23 24 25 26 27 28

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
		January 1, 2014			
				8:00am Leak Check 3:00pm Temp Check	
6	7	8	9	10	11
				8:00am Leak Check 3:00pm Temp Check	
13	14	15	16	17	18
				8:00am Leak Check 3:00pm Temp Check	
20	21	22	23	24	25
				8:00am Leak Check 3:00pm Temp Check	
27	28	29	30	31	
				8:00am Leak Check 3:00pm Temp Check	