


# **North East Fabricare Association Dry Cleaner Compliance Calendar**

# **2010**



**North East Fabricare Association**

**P.O. Box 920, Pelham NH 03076**

**Tel: (603) 635-0322 E-mail: [peteblke@aol.com](mailto:peteblke@aol.com)**

**[www.nefabricare.com](http://www.nefabricare.com)**

# January

## Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased Jan-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

Notes
-------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y N	Y N			
Hoses	Y N	Y N	Y N	Y N	
Door	Y N	Y N	Y N	Y N	
Pump	Y N	Y N	Y N	Y N	
Solvent Tank	Y N	Y N	Y N	Y N	
Water Separator	Y N	Y N	Y N	Y N	
Muck Cooker	Y N	Y N	Y N	Y N	
Still	Y N	Y N	Y N	Y N	
Exhaust Damper	Y N	Y N	Y N	Y N	
Diverter Valve	Y N	Y N	Y N	Y N	
Filler Gasket	Y N	Y N	Y N	Y N	
Cartridge Filter	Y N	Y N	Y N	Y N	
Waste Containers	Y N	Y N	Y N	Y N	
			Labeled? Y N		Dated? Y N



# February

## Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased Feb-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

Notes

## Condenser Temperature Log

Date	Temp	is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y N	Y N			
Hoses	Y N	Y N			
Door	Y N	Y N			
Pump	Y N	Y N			
Solvent Tank	Y N	Y N			
Water Separator	Y N	Y N			
Muck Cooker	Y N	Y N			
Still	Y N	Y N			
Exhaust Damper	Y N	Y N			
Diverter Valve	Y N	Y N			
Filter Gasket	Y N	Y N			
Cartridge Filter	Y N	Y N			
Waste Containers	Y N	Y N	Labeled? Y N	Dated? Y N	

North East Fabricare Association Drycleaner Compliance Calendar

# February 2010

February 2010							March 2010						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
1	2	3	4	5	6	7	1	2	3	4	5	6	7
8	9	10	11	12	13	14	8	9	10	11	12	13	14
15	16	17	18	19	20	21	15	16	17	18	19	20	21
22	23	24	25	26	27	28	22	23	24	25	26	27	28
29							29	30	31				

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
February 1 Update Perc Log [ ]	2	3	4	5	6
8	9	10	11	12	13
15	16	17	18	19	20
22	23	24	25	26	27
					28

# March

## Perc Purchases Running Total

Total from Last Month		
Subtract Perc Purchased Mar-2007	-	
Subtotal		
Purchase Date	Purchase Amount	12 Month Running Total
	+	
	+	
	+	

Notes
-------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
	Y	N	Labeled? Y N	Date Parts Received	Date Repaired

# North East Fabricare Association Drycleaner Compliance Calendar

## March 2010

April 2010

S	M	T	W	T	F	S
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

March 2010

S	M	T	W	T	F	S
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
March 1	2	3	4	5	6
Update Perc Log [ ]				Leak Check [ ] Log Temp. [ ]	
8	9	10	11	12	13
				Leak Check [ ] Log Temp. [ ]	
15	16	17	18	19	20
				Leak Check [ ] Log Temp. [ ]	
22	23	24	25	26	27
				Leak Check [ ] Log Temp. [ ]	
29	30	31			28

# April

## Perc Purchases Running Total

Notes	

Total from Last Month		
Subtract Perc Purchased April-2007	-	
Subtotal		
Purchase Date	Purchase Amount	12 Month Running Total
	+	
	+	
	+	

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
			Labeled? Y N		Dated? Y N



# North East Fabricare Association Drycleaner Compliance Calendar

## April 2010

April 2010							May 2010						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
4	5	6	7	8	9	10	2	3	4	5	6	7	8
11	12	13	14	15	16	17	9	10	11	12	13	14	15
18	19	20	21	22	23	24	16	17	18	19	20	21	22
25	26	27	28	29	30		23	24	25	26	27	28	29
							30	31					

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
			April 1		2
			Update Perc Log [ ]	Leak Check [ ] Log Temp. [ ]	
5	6	7	8	9	10
				Leak Check [ ] Log Temp. [ ]	
12	13	14	15	16	17
				Leak Check [ ] Log Temp. [ ]	
19	20	21	22	23	24
				Leak Check [ ] Log Temp. [ ]	
26	27	28	29	30	
				Leak Check [ ] Log Temp. [ ]	

# May

## Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased May-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

Notes
-------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y N	Y N			
Hoses	Y N	Y N			
Door	Y N	Y N			
Pump	Y N	Y N			
Solvent Tank	Y N	Y N			
Water Separator	Y N	Y N			
Muck Cooker	Y N	Y N			
Still	Y N	Y N			
Exhaust Damper	Y N	Y N			
Diverter Valve	Y N	Y N			
Filter Gasket	Y N	Y N			
Cartridge Filter	Y N	Y N			
Waste Containers	Y N	Y N			

Labeled? Y N	Dated? Y N
--------------	------------



# June

## Perc Purchases Running Total

Total from Last Month		
Subtract Perc Purchased June-2007	-	
Subtotal		
Purchase Date	Purchase Amount	12 Month Running Total
	+	
	+	
	+	

Notes
-------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y N	Y N			
Hoses	Y N	Y N			
Door	Y N	Y N			
Pump	Y N	Y N			
Solvent Tank	Y N	Y N			
Water Separator	Y N	Y N			
Muck Cooker	Y N	Y N			
Still	Y N	Y N			
Exhaust Damper	Y N	Y N			
Diverter Valve	Y N	Y N			
Filter Gasket	Y N	Y N			
Cartridge Filter	Y N	Y N			
Waste Containers	Y N	Y N			

Labeled? Y N Dated? Y N

# North East Fabricare Association Drycleaner Compliance Calendar

## June 2010

June 2010							July 2010						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
6	7	8	9	10	11	12	4	5	6	7	8	9	10
13	14	15	16	17	18	19	11	12	13	14	15	16	17
20	21	22	23	24	25	26	18	19	20	21	22	23	24
27	28	29	30				25	26	27	28	29	30	31

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
14	15	16	17	18	19
21	22	23	24	25	26
28	29	30			27
7	8	9	10	11	12
14	15	16	17	18	19
21	22	23	24	25	26
28	29	30			27
5	6	7	8	9	10
12	13	14	15	16	17
19	20	21	22	23	24
26	27	28	29	30	31



# North East Fabricare Association Drycleaner Compliance Calendar

# July 2010

July 2010							August 2010						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
4	5	6	7	8	9	10	1	2	3	4	5	6	7
11	12	13	14	15	16	17	8	9	10	11	12	13	14
18	19	20	21	22	23	24	15	16	17	18	19	20	21
25	26	27	28	29	30	31	22	23	24	25	26	27	28
							29	30	31				

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
			July 1		2
			TURA Reports Due! Update Perc Log [ ]	Leak Check [ ] Log Temp. [ ]	
5	6	7	8	9	10
				Leak Check [ ] Log Temp. [ ]	
12	13	14	15	16	17
				Leak Check [ ] Log Temp. [ ]	
19	20	21	22	23	24
				Leak Check [ ] Log Temp. [ ]	
26	27	28	29	30	31
				Leak Check [ ] Log Temp. [ ]	

# August

## Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased Aug-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

Notes
-------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y N	Y N			
Hoses	Y N	Y N	Y N	Y N	Y N
Door	Y N	Y N	Y N	Y N	Y N
Pump	Y N	Y N	Y N	Y N	Y N
Solvent Tank	Y N	Y N	Y N	Y N	Y N
Water Separator	Y N	Y N	Y N	Y N	Y N
Muck Cooker	Y N	Y N	Y N	Y N	Y N
Still	Y N	Y N	Y N	Y N	Y N
Exhaust Damper	Y N	Y N	Y N	Y N	Y N
Diverter Valve	Y N	Y N	Y N	Y N	Y N
Filter Gasket	Y N	Y N	Y N	Y N	Y N
Cartridge Filter	Y N	Y N	Y N	Y N	Y N
Waste Containers	Y N	Y N	Y N	Y N	Y N

Labeled? Y N

Dated? Y N



# North East Fabricare Association Drycleaner Compliance Calendar

## August 2010

August 2010							September 2010						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
1	2	3	4	5	6	7	8	9	10	11	12	13	14
15	16	17	18	19	20	21	19	20	21	22	23	24	25
22	23	24	25	26	27	28	26	27	28	29	30		
29	30	31											

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
2	3	4	5	6	7
			Leak Check [ ] Log Temp. [ ]	Leak Check [ ] Log Temp. [ ]	Update Perc Log [ ]
9	10	11	12	13	14
			Leak Check [ ] Log Temp. [ ]	Leak Check [ ] Log Temp. [ ]	15
16	17	18	19	20	21
			Leak Check [ ] Log Temp. [ ]	Leak Check [ ] Log Temp. [ ]	22
23	24	25	26	27	28
			Leak Check [ ] Log Temp. [ ]	Leak Check [ ] Log Temp. [ ]	29
30	31				

# September

## Perc Purchases Running Total

Total from Last Month		
Subtract Perc Purchased Sept-2007	-	
Subtotal		
Purchase Date	Purchase Amount	12 Month Running Total
	+	
	+	
	+	

<b>Notes</b>
--------------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filler	Y	N			
Waste Containers	Y	N			

Labeled? Y N      Dated? Y N

North East Fabricare Association Drycleaner Compliance Calendar

# September 2010

September 2010							October 2010						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
5	6	7	8	9	10	11	3	4	5	6	7	8	9
12	13	14	15	16	17	18	10	11	12	13	14	15	16
19	20	21	22	23	24	25	17	18	19	20	21	22	23
26	27	28	29	30			24	25	26	27	28	29	30
							31						

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
		September 1	2	3	4
		Update Perc Log [ ]		Leak Check [ ] Log Temp. [ ]	
6	7	8	9	10	11
				Leak Check [ ] Log Temp. [ ]	
13	14	15	16	17	18
		MASS ERP Due!		Leak Check [ ] Log Temp. [ ]	
20	21	22	23	24	25
				Leak Check [ ] Log Temp. [ ]	
27	28	29	30		26

# October

## Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased Oct-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

<b>Notes</b>
--------------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y N	Y N			
Hoses	Y N	Y N			
Door	Y N	Y N			
Pump	Y N	Y N			
Solvent Tank	Y N	Y N			
Water Separator	Y N	Y N			
Muck Cooker	Y N	Y N			
Skull	Y N	Y N			
Exhaust Damper	Y N	Y N			
Diverter Valve	Y N	Y N			
Filter Gasket	Y N	Y N			
Cartridge Filter	Y N	Y N			
Waste Containers	Y N	Y N			

Labeled? Y N      Dated? Y N

# North East Fabricare Association Drycleaner Compliance Calendar

## October 2010

October 2010							November 2010						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
3	4	5	6	7	8	9	1	2	3	4	5	6	
10	11	12	13	14	15	16	7	8	9	10	11	12	13
17	18	19	20	21	22	23	14	15	16	17	18	19	20
24	25	26	27	28	29	30	21	22	23	24	25	26	27
31							28	29	30				

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
				October 1	2
				Leak Check [ ] Log Temp. [ ] Update Perc Log [ ]	
4					3
				Leak Check [ ] Log Temp. [ ]	9
					10
11				Leak Check [ ] Log Temp. [ ]	16
					17
18				Leak Check [ ] Log Temp. [ ]	23
					24
25				Leak Check [ ] Log Temp. [ ]	30
					31

# November

## Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased Nov-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

<b>Notes</b>
--------------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
			Labeled? Y N		Dated? Y N



# December

## Perc Purchases Running Total

Total from Last Month		Notes	
Subtract Perc Purchased Dec-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
	Y	N	Labeled? Y N		Dated? Y N



North East Fabricare Association Drycleaner Compliance Calendar

# December 2010

December 2010							January 2011						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
5	6	7	8	9	10	11	2	3	4	5	6	7	8
12	13	14	15	16	17	18	9	10	11	12	13	14	15
19	20	21	22	23	24	25	16	17	18	19	20	21	22
26	27	28	29	30	31		23	24	25	26	27	28	29
							30	31					

Monday	Tuesday	Wednesday	Thursday	Friday	Sat/Sun
		December 1 Update Perc Log [ ]	2	3 Leak Check [ ] Log Temp. [ ]	4
6	7	8	9	10 Leak Check [ ] Log Temp. [ ]	11
13	14	15	16	17 Leak Check [ ] Log Temp. [ ]	18
20	21	22	23	24 Leak Check [ ] Log Temp. [ ]	25
27	28	29	30	31 Leak Check [ ] Log Temp. [ ]	

# January

## Perc Purchases Running Total

Total from Last Month			
Subtract Perc Purchased Jan-2007	-		
Subtotal			
Purchase Date	Purchase Amount	12 Month Running Total	
	+		
	+		
	+		

Notes
-------

## Condenser Temperature Log

Date	Temp	Is temp less than or equal to 45 F (7.2C)
		Y N
		Y N
		Y N
		Y N
		Y N

## Leaks Detected?

Inspected	Date		Date Parts Ordered	Date Parts Received	Date Repaired
	Y	N			
Hoses	Y	N			
Door	Y	N			
Pump	Y	N			
Solvent Tank	Y	N			
Water Separator	Y	N			
Muck Cooker	Y	N			
Still	Y	N			
Exhaust Damper	Y	N			
Diverter Valve	Y	N			
Filter Gasket	Y	N			
Cartridge Filter	Y	N			
Waste Containers	Y	N			
			Labeled? Y N		Dated? Y N

